

Date of Issue: June 2020 Page 1 of 4

STATEMENT OF HAZARDOUS NATURE

Not classified as hazardous according to criteria of WorkSafe Australia

COMPANY DETAILS	
Company	Whitfert
Address	54 Beach Street Kwinana
Telephone Number	(08) 9419 9999
Emergency Telephone Number	1800 654 089 (Not 24 Hours: 7am–5pm)

IDENTIFICATION	
Product Name	Sulphate of Ammonia or Granular Sulphate of Ammonia
Other Names	Ammonium Sulphate
Product Code	No Product Code allocated
U.N. Number	No UN number allocated
Dangerous Goods Class	No Dangerous Goods Class allocated
Subsidiary Risk	No Subsidiary Risk allocated
Hazchem Code	No Hazchem Code allocated
Packing Group	No Packing Group allocated
Poisons Schedule Number	No Poisons Schedule Number allocated
Use	Fertiliser and industrial use

PHYSICAL DESCRIPTION/PROPERTIES		
Appearance	Grey- brown to white crystals, with no odour.	
Boiling Point	Does not boil, decomposes	
Melting Point	235-280 °C with decomposition	
Vapour Pressure	Does not exert significant vapour pressure	
Specific Gravity	1.769	
Flash Point	Does not give off flammable vapours	
Flammability Limits	Not Flammable	
Solubility in Water	76g/ 100ml @ 20 ° C	

OTHER PROPERTIES

Corrosiveness	Highly corrosive to aluminium, zinc, copper and brass. Slightly corrosive to mild steel and 304 stainless steel. Non corrosive to 316 steel.
Reactivity With Common Substances	Slightly reactive with oxidizing agents. If contacted with alkalis, ammonia gas may be released. Explosive nitrogen trichloride may form, if contact with chlorinating agents such as sodium hypochlorite or calcium hypochlorite.
Solubility in organic solvents	Not soluble in acetone or alcohol
Ph of 10% solution	4.0 - 6.0
Bulk Density	1.09 tonne/m ³



Date of Issue: June 2020 Page 2 of 4

INGREDIENTS

Major		
Chemical Entity	Proportion (%wt/wt)	C.A.S. No.
Ammonium Sulfate	99%	7783-20-2
Non Hazardous Impurities	Remainder	

HEALTH HAZARD INFORMATION

HEALTH EFFECTS – ACUTE – Sulphate of Ammonia has a low toxicity. It is not classified as hazardous according to criteria of WorkSafe Australia.

Swallowed	Low degree of toxicity via ingestion. In cases where large amounts are ingested there may be a reaction of nausea, diarrhoea and vomiting. LD50 on rats, orally, greater than (Ammonium Sulphate) 3000mg/kg	
Eye Contact	Contact may cause mild irritation, in the form of redness, stinging and watering.	
Skin Contact	Dust may dry out skin and cause irritation, itching and redness, especially if the skin has previously been exposed to abrasion. No harmful effects from skin absorption have been reported.	
Inhaled	Mild irritant may cause irritation to the nose and upper respiratory tract when high concentrations of air-borne dust are present.	
HEALTH EFFECTS – CHRONIC - There is no known effect from chronic exposure to Sulphate of Ammonia		

FIRST AID	
Swallowed	Providing the person is conscious wash out mouth with water and give water or milk to drink. Do not induce vomiting. Seek medical assistance, if a large quantity has been swallowed, or if there is difficulty swallowing or continued pain.
Eye Contact	Irrigate with water for 15 minutes immediately. If pain persists seek medical assistance.
Skin Contact	Wash off with plenty of water. Remove contaminated clothing and launder before using again.
Inhaled	Remove from exposure to a well-ventilated area. Keep warm and at rest. In emergency situations, if breathing is abnormal or difficult give oxygen. If the affected person suffers a cardiac arrest commence cardio-pulmonary resuscitation immediately. Seek urgent medical attention.
First Aid Facilities	Ensure drinking water and eye wash bottles are available when Monomonnium Phosphate Ammonium Sulphate and Potassium Chloride based Fertilisers are in regular use.
Advice to Doctor	Treat symptomatically



Date of Issue: June 2020 Page 3 of 4

PRECAUTIONS FOR USE

Exposure standards	There are no specific exposure limits available.
	Recommended ACGIH value for airborne concentrations of
	dust particles TLV/TWA -10mg/m ³ Nuisance dust.
Engineering controls	Use well ventilated areas. Avoid high dust concentrations.
PERSONAL PROTECTION	
Respirator type (AS 1716)	Avoid inhaling the dust by wearing class P2 type dust mask
	when dust is present.
Eye protection	Chemical safety glasses can be worn to help prevent contact
	with the eyes.
Glove type	PVC gloves can be worn to prevent skin contact.
Clothing	Long sleeve shirt buttoned to the top and long trousers to help
	prevent skin contact.
Personal Hygiene	Ensure clothing is washed and personal protective equipment
	replaced or washed before reuse if contaminated. Wash hands
	and face after handling and before work breaks when handling
	food, smoking or toilet breaks, etc.

FLAMMABILITY	
Fire Hazards	Sulphate of Ammonia Fertilisers are not flammable and do not support combustion.

SAFE HANDLING INFORMTION

STORAGE & TRANSPORT	
Location	Store in a well ventilated, cool and dry area. Contact with moisture must be avoided for it can cause handling difficulty. Ensure machinery is cleaned thoroughly after use, do not leave in machinery overnight.
Storage incompatibilities	Store away from oxidizing agent, alkalis, chlorinating agents: eg swimming pool chlorine.
Dangerous Goods class	No Dangerous Goods Class Allocated
Subsidiary Risk	No Subsidiary Risk Allocated
Special Transport Requirements	Keep away from oxidising agents and alkalis.
Precautions for Clean Up Crew	Clean Up crew should wear P2 type dust masks, PVC gloves, chemical safety goggles and long sleeve shirts and trousers.

SPILLS AND DISPOSAL	
Minimising Spill / leak	Spills should be swept and cleaned up immediately. Prevent run off into water ways and drainage systems.
Clean Up Methods	Depending on the size of the spill, clean up will involve sweeping up and loading into a truck or container. All material should be gathered up and disposed of.
Precautions for Clean Up Crew	Clean Up crew should wear P2 type dust masks, PVC gloves, chemical safety goggles and long sleeve shirts and trousers.
Specialised Equipment for Clean Up	Depending on the size of the spillage, a front end loader may be required for clean up.



Date of Issue: June 2020 Page 4 of 4

FIRE AND EXPLOSION HAZARD		
Hazards of use / storage Dangerous Decomposition or Combustion	Sulphate ammonia is a sensitiser, increasing the explosion hazard of potassium nitrate, ammonium nitrate and potassium chloride, when mixed together. A potentially explosive mixture can form if mixed with pool chlorine, such as calcium hypochlorite or sodium hypochlorite. When heated to decomposition, oxides of toxic	
Products	ammonia, nitrogen sulphur gas (temperatures greater	
	then 280 °C).	
Fire Fighting recommendations	Sulphate of Ammonia is not combustible.	
Types of Extinguishers	Sulphate of Ammonia is not combustible.	
Fire Fighting Agents	Sulphate of Ammonia is not combustible.	
Hazchem Code	No Hazchem Code allocated for Sulphate of Ammonia.	

OTHER INFORMATION

No Other Information available.

CONTACT INFORMATION			
Organisation	Location	Person	Telephone
Whitfert	54 Beach Street Kwinana WA	Safety administrator	(08) 9419 9999
Poisons Information Centre	Subiaco WA	Duty officer	13 11 26

DISCLAIMER

As the ordinary or otherwise use(s) of this product is outside the control of Whitfert, no representation or warranty, expressed or implied, is made as to the effect (s) of such use(s), (including damage or injury), or the results obtained. Users of the product should ensure they read this Material Safety Data Sheet and endeavour to understand the information in regard to how the product will be handled and used in the work place, particularly in conjunction with other products. This Material safety Data Sheet summarises our best knowledge of the health and safety hazard information of the practices involved in safely handling the product in the work place. If Additional information or further explanations of safety procedures are required to take the appropriate safety precautions, the handler can contact Whitfert on (08) 9419 9999.